AGENDA

Inland Wetland Agency REGULAR MEETING

Monday, October 1, 2012

Council Chambers, Audrey Beck Building

Call to Order: 7:00 PM

Review of Minutes of Previous Meetings and Action Thereon:

9.04.2012 - Regular Meeting

9.12.2012 - Field Trip

Communications:

Conservation Commission: W1501 - Block GM Monthly Business memorandum

Public Hearings:

None

Old Business:

W1501 - Block - Hanks Hill Rd - unit replacement in 150' area.

Pending:

W1502 - Wetlands Violation Ordinance - tabled We have also received notice of new statute changes

New Business:

New Application:

W1504 - Kueffner - Rte 195 - Treescape

Request for Exemption:

W1503 - Town of Mansfield - Sunny Acres Park

Modifications: W1492 - Healey - barn renovation

W1490 - Eastbrook Mall - retaining wall changes

Reports of Officers and Committees:

Other Communications and Bills:

Adjournment:

DRAFT MINUTES

MANSFIELD INLAND WETLANDS AGENCY

Regular Meeting on Tuesday, September 4, 2012 Council Chambers, Audrey P. Beck Municipal Building

Members present:

J. Goodwin (Chairman), B. Chandy, K. Holt, B. Pociask, K. Rawn, B. Ryan

Members absent:

R. Hall, G. Lewis, P. Plante

Alternates present:

A. Marcellino, V. Ward, S. Westa

Staff present:

Grant Meitzler, Wetlands Agent

Chairman Goodwin called the meeting to order at 7:04 p.m., and appointed Ward and Westa to act in members' absence. Marcellino stated for the record he has been sworn in by the Town Clerk. He was asked to observe for his first meeting.

Minutes:

<u>8-6-12 – Regular Meeting</u>- Ryan MOVED, Ward seconded, to approve the 8-6-12 minutes as written. MOTION PASSED with all in favor except Pociask who disqualified himself. Westa stated that she listened to the recording.

<u>8-6-12 – Joint Meeting</u>- Ryan MOVED, Ward seconded, to approve the 8-6-12 minutes as written. MOTION PASSED with all in favor except Pociask who disqualified himself. Westa stated that she listened to the recording.

<u>8-28-12-Field Trip-</u> Ryan MOVED, Ward seconded, to approve the 8-28-12 minutes as written. MOTION PASSED with Goodwin, Chandy, Holt, Ryan, Ward and Westa in favor, and all others disqualified.

Communications:

The 8-16-12 Wetlands Agent's Monthly Business report was noted.

Public Hearings:

None.

Old Business:

W1500 - Tolis - Hickory Lane - above-ground pool and deck

Holt MOVED, Ryan seconded, to grant an Inland Wetlands License pursuant to the Wetlands and Watercourses Regulations of the Town of Mansfield to Paul Tolis (file # W1500), for the construction of an above-ground pool and deck in the wetland buffer, on property owned by the applicant, located at 37 Hickory Lane, as shown on plans dated January 30, 2006, revised to July 31, 2012, and as described in other application submissions.

This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met:

1. Appropriate erosion and sedimentation controls shall be in place prior to construction, maintained during construction and removed when disturbed areas are completely stabilized.

This approval is valid until September 4, 2017, at which time a renewal of the permit is required if work has not been completed. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment. MOTION PASSED with all in favor except Pociask who disqualified himself.

New Business:

W1501-Block – 8-22 Hanks Hill Road – Unit Replacement

Ryan MOVED, Holt seconded, to receive the application submitted by Michael Block of Block Properties, LLC, (File # W1501) under the Wetlands and Watercourses Regulations of the Town of Mansfield for a unit replacement in buffer, on property located at 8-22 Hanks Hill Road, as shown on a map revised to 8-22-12 and as described in application submissions, and to refer said application to staff and Conservation Commission for review and comments. MOTION PASSED UNANIMOUSLY.

Potential Wetlands Violation Ordinance

Linda Painter, Director of Planning and Development, briefed the Agency on the Regulatory Review Committee's discussion and reasons for writing a wetlands violation ordinance. The consensus of the Agency was to direct staff to work with the Town Attorney and Regulatory Review Committee to draft a wetlands violation ordinance and bring it back to the Agency for review.

Field Trip:

The Chairman acknowledged the need for a field trip for the Block application, date and time to be determined at the PZC meeting to follow.

Adjournment:

The Chairman declared the meeting adjourned at 7:10 p.m.

Respectfully submitted,

Katherine Holt, Secretary

DRAFT MINUTES

MANSFIELD PLANNING AND ZONING COMMISSION INLAND WETLANDS AGENCY CONSERVATION COMMISSION

FIELD TRIP

Special Meeting

Wednesday, September 12, 2012

Members present:

J. Goodwin, K. Holt, A. Marcellino, B. Ryan, V. Ward

Others present:

S. Lehman, Conservation Commission

Staff present:

G. Meitzler, Wetlands Agent/Assistant Town Engineer

L. Painter, Director of Planning and Development

The field trip began at 3:30 p.m.

1. <u>Block – 8-22 Hanks Hill Road – mobile home unit replacement, W1501</u>
Members were met on site by home owner Michael Block. Members observed current conditions, and site characteristics. No decisions were made.

 Whispering Glen- 73 Meadowbrook Lane- Special Permit Application-54 Residential Apartments, PZC File #1284-2
Members observed current conditions, and site characteristics. No decisions were made.

The field trip ended at approximately 4:40 p.m.

Respectfully submitted,

K. Holt, Secretary

Town of Mansfield CONSERVATION COMMISSION

Meeting of 19 September 2012 Conference B, Audrey P. Beck Building (draft) MINUTES

Members present: Joan Buck (Alt.), Robert Dahn, Quentin Kessel, Scott Lehmann. Members absent: Aline Booth (Alt.), Neil Facchinetti, Peter Drzewiecki, Frank Trainor, John Silander. Others present: Grant Meitzler (Wetlands Agent), Linda Painter (Town Planner).

- 1. The meeting was called to order at 7:31p by Chair Quentin Kessel. Alternate Joan Buck was designated a voting member for this meeting. {John Silander came to the meeting but was excused before it was called to order when it was clear that he was not needed for a quorum; he was to leave for Vladivostock the next day.}
- 2. The draft minutes of the 18 July 2012 meeting were approved as written; the August meeting was cancelled.
- 3. State Plan of Conservation and Development. Linda Painter informed the Commission that the State is in the process of updating its Plan of Conservation and Development, which is supposed to guide project planning and funding by state agencies. Much of the guidance will be provided by maps that place particular parcels of land in *conservation*, *development*, or *balance* zones, depending upon whether such parcels meet certain criteria. There are six conservation criteria (e.g., prime agricultural land, wetlands, critical habitat) and six development criteria (e.g., water/sewer connections, census block classified as urban, mass transit access).

The idea is to direct development projects and funding to development zones and conservation projects and funding to conservation zones. Balance zones satisfy some conservation criteria and some development criteria; projects in this zone would require balancing conservation and development. To prioritize projects and funding, conservation and development areas are further classified by how many of the conservation or development criteria they meet. Since funding is always limited, the state might consider funding only projects in "high priority" conservation or development zones that meet at least 5 of the 6 criteria for such zones.

Since the Town depends upon state funding for many projects, it is important that its own Plan of Conservation and Development be aligned with the State's Plan, preferably by having State maps reflect the Town's conservation and development goals.

Some concerns about the State's zoning procedure emerged in discussion: (1) Areas classified as "high priority" development zones may not be eligible for state grants for open space purchases, although open space may be particularly valuable for residents of these zones; surely urban parks can add a great deal to the quality of life in urban areas. (2) Balance zones can lump together parcels of very different character — for example, parcels that would be zoned "high priority" conservation areas but for satisfying one of the development criteria and parcels that would be zoned "high priority" development areas but for satisfying one of the conservation criteria.

- **4. PZC Applications.** Painter reported to the Commission on several applications before the PZC.
 - a. PZC 1284-2 (Whispering Glen, 73 Meadowbrook Rd) In 2009 the PZC approved a development with 37 condominium units on this site. The developers have reconsidered the market for large condominiums and are now asking for approval of 54 smaller units instead.

The Commission considered the original application at its meeting of 18 March 2009. Since the amended application calls for even greater density, the Commission's comments on W1424, quoted here from the minutes, are worth reiterating:

- The design of the stormwater management system should be scrutinized to insure that it is up to the task; uncontrolled runoff could erode the steep slope and dump sediment into the wetland and brook below.
- The erosion potential of the trail providing access to the conservation area could be reduced by running it along the bottom of the slope rather than half-way up.
- To enhance protection of the wetland and brook, the steep slope should be included in the conservation area.
- Given the high density of development and the potential for storm-water impacts on the slope and wetlands below, the Commission suggests eliminating those units proposed for construction within the regulated area.
- b. **PZC 1312** (Healey Banquet Hall, 476 Storrs Rd) This barn-conversion project has been approved by the IWA. The applicant is now seeking PZC approval for overflow parking on Town land and for exceptions to zoning regulations concerning set-back, building height, and the like issues outside the Commission's purview.
- c. **PZC 1246-10 (Storrs Center)** The Storrs Center developers propose to replace planned retail buildings with underground parking along Rte. 195 from Post Office Rd to the old Storrs Drug location with a small retail building at the corner, a parking lot, and then a small supermarket. Drainage and wetlands would not be affected by this change.
- d. PZC 1311 (Sauve subdivision, North Windham Rd) This is a pre-application submission for a 3-lot subdivision off N. Windham Rd. {Lehmann participated in the 28 August Field Trip to the site; his report is attached.} The applicants propose a common driveway from N. Windham Rd. to access three lots on a plateau to the north; frontage on the road, along with wetland, an open area, and an open meadow below and west of the plateau would be dedicated open space. Kessel reported that the Open Space Committee had discussed an alternate proposal: enlarge one of the lots to include all the open space areas and protect them with conservation easements. Lehmann was not enthusiastic about this, pointing out that dedicated open space areas to the west would enhance Mansfield Hollow State Park (to which they are adjacent) and that conservation easements on private land do not afford public access. {Painter left the meeting.}
- 5. IWA referral: W1501 (Block, 8-22 Hanks Hill Rd) An old 12x60 ft 'mobile home' has been removed and a pad prepared for a new 27x48 ft modular unit (which, in virtue of its shorter length, would be a little farther from a drainage stream). Like all the other units in this development, this one would be served by UConn water and sewer. The Commission agreed unanimously (motion: Dahn, Lehmann) that no significant impact on wetlands was likely.
- 6. Annual Report. With insertion of "together with the Conservation Commissions of Ashford and Willington" between "and" and "hosted" in the third bullet under "Accomplishments", the Commission unanimously approved (motion: Buck, Dahn) the FY2011-12 Report drafted by Linda Painter and thanked her for preparing it.
- 7. Updates. Kessel reported that EIEs for the 4-Corners Water & Sewer Project and UConn's Hazardous Waste Transfer Station are still forthcoming.
- 8. Adjourned at 8:44p. Next meeting: 7:30p, Wednesday, 17 October 2012.

Scott Lehmann, Secretary, 20 September 2012.

Attachment: Field Trip Reports

28 August Field Trip

W 1500 (Tolis, Hickory La). An above-ground pool & deck is proposed on a level terrace near the house. The edge of the terrace is formed by a stone retaining wall, below which lawn slopes to wetlands (about 80 ft from the proposed pool at the closest point). A catastrophic failure of the pool wall that quickly emptied 1K ft³ of water into the wetland might not be good for it, but this seems too unlikely to worry about.

PZC 1311 (Sauve, North Windham Rd). A 3-iot subdivision will be proposed for a 10.7-acre site fronting on Windham Rd; this was a pre-application visit. Existing buildings on North Windham Rd. would be demolished; a common driveway would access three lots on a plateau in the east central portion of the property; stone walls would be undisturbed, save for one driveway cut. The well-planned tour climbed to the plateau and circled the area proposed for development. On the west, the plateau slopes steeply down to wetland and two attractive open areas adjoining Mansfield Hollow State Park; this portion of the property would be open space. On the southeast, the plateau also slopes steeply down to an isolated piece of the Park on the north side of North Windham Rd. The plateau appears to have been logged within the past five years or so, and what remains there is mostly low-value pine. In my view, the area proposed for open space is the area of greatest conservation-value. The only suggestion I'd make is to protect the steep slopes west and southeast of the plateau with conservation easements.

12 September Field Trip

W 1501 (Block, 8-22 Hanks Hill Rd) The proposal is to replace a single-wide (12 ft) modular unit with a double-wide (24 ft) one. The new unit is shorter and would therefore be slightly farther from a drainage ditch behind it that carries runoff from Hanks Hill Rd and beyond into a wetland below. Like the other units in this "mobile home" park, this one would be connected to UConn water and sewer. By the time of the site visit, the old unit was gone and a widened pad was ready for the new one. It's hard for me to see a significant wetlands impact from this project, especially if impact is reckoned relative to the old installation.

PZC 1284-2 (Whispering Glen, 73 Meadowbrook La) The housing slump has led the developers of this parcel to reconsider their PZC-approved proposal to construct 30-some large townhouse units and to propose 54 smaller ones instead. Relative to the original plan, the development's layout, landscaping, and open space dedication seem unchanged, but units are smaller and some "active" recreation facilities (for horseshoes & volleyball) have been added. The developer did not show up for our visit; we walked the length of the area to be developed on an old driveway, but did not see much of interest (the area is now pretty jungly). There may be a question of whether provision for open space and recreation is sufficient, given that more people will be housed in the development. However, the portion of the property of greatest conservation-value — the area along Conantville Brook — is already included in dedicated open space.

Scott Lehmann, 13.IX.12

Memorandum: September 26, 2012

To: Inland Wetland Agency

From: Grant Meitzler, Inland Wetland Agent

Re: Monthly Business

W1419 - Chernushek - hearing on Order

3.10.09: The hearing on the Order remains open and should continue until the permit application under consideration is acted upon.

(The Order was dropped on approval of the application required in the Order.)

- 4.30.09: Former rye grass seeding is beginning to show green. I spoke with Mr. Chernushek this afternoon who indicated health problems that delayed his starting but indicated he will be working this weekend. I will update on this Monday evening.
- 5.26.09: A light cover of grass growth has come in. Mr. Chernushek indicates health problems and two related deaths have delayed his start of work since the permit approval was granted. It appears that some light work has started. He has further indicated that he will start a vacation on June 22, 2009 to finish the work.
- 6.13.09: Work is underway.
- 6.21.09: Bulldozer work has been completed finish work remains.

 The additional silt fencing has been placed along the northerly wetlands crossing, and the additional pipe under the southerly crossing has been installed. Remaining work includes finish grading along edges, spreading stockpiled topsoil, and establishing grass growth.
- 7.01.09: I spoke with Mr. Chernushek who indicated he expects work to be completed by September 1, 2009. (Site photo attached).
- 9.03.09: Mr. Chernushek has been working on levelling and grading. The formerly seeded areas have become fairly thick growth surrounding the central wet areas. He has further indicated that with the combination of weather and the slower moving of earth with the payloader compared to the earlier rented bulldozer has led him to contact contractors for earth moving estimates which have not yet been received. The site is not yet finished but has remained quite stable.
- 9.12.09: I met with Mr. Chernushek today and discussed again what his plans are for stabilizing this work site.
- 10.01.09: Mr. Chernushek indicated he has not heard back from the contractor he had spoken with about removing material, and is in progress of contacting others. In discussion is removal of material from the site either within the 100 cubic yard limit or obtaining a permit for such removal.
- 10.28.09: Mr. Chernushek has indicated he has made arrangements with DeSiato Sand & Gravel to remove 750 cubic yards of material. Staff is in the process of clarifying permit requirements.

W1445 - Chernushek - application for gravel removal from site

- 11.30.09: Packet of information representing submissions by Mr.

 Chernushek, Mr. DeSiato and myself is in this agenda packet as Mr. Chernusheks's request for modification.
- 12.29.09: Preparation of required information for PZC special permit application is in progress. Tabling any action until the February 1, 2010 meeting is recommended.
- 1.12.10: 65 day extension of time received.
- 2.18.10: No new information has been received.

- 2.25.10: This application has been withdrawn.
- 6.30.10: As viewed from the adjacent property, the upstream and downstream areas have grown to a decent protected surface. I did not see indication of sediment movement.
- 10.26.10: A sale of the East portion of the Chernushek property has been in negotiation.
- 12.27.10: The property exchange has been completed. The owner is now the neighboring property owner Bernie Brodin. He has indicated his intention to stabilize the area as weather permits.
- 4.25.11: Mr. Brodin indicates he is starting with grading and spreading hay and seed to stabilize disturbed areas.

Mansfield Auto Parts - Route 32

- 11.03.11: Inspection two vehicles are within 25' of wetlands.

 Vehicle doors and a camper or trailer are stored in the extreme rear lot not approved by zoning for use.
- 11.30.11 Inspection two vehicles are within 25' of wetlands.

 Employees indicate cars will be moved soon. Payloader repair parts are to be there later today and cars will be moved as soon as parts are installed.

 Owner indicated in earlier discussion that the doors would be moved.

 Rate of tire removal has increased with a company in Massachusetts removing them by truckload. At time of this discussion (about a week ago) nearly 2,000 tires had been removed from the lot by the railroad tracks.
- 12.07.11: Inspection two vehicles are within 25' of wetlands.

 Payloader rerpairs not yet completed. Weekly inspections will be made until the two vehicles and doors are moved.
- 12.27.11: Inspection 1 vehicle within 25' of wetlands owner indicates it will be moved this week. Payloader is back in operation. Owner indicatees doors in "rear" lot will be moved this week. Large number of tires have been moved from lot by RR tracks approximately 65% of tires have been removed.
- 2.01.12: Inspection employee indicates payloader repair has had problems and the one car within 25' has not yet been moved. Tire removal has continued and about 90 percent of the tires have been removed. A truck from the company removing the tires arrived while I was at the site.
- 3.01.12: Inspection owner indicates payloader is repaired. Owner indicates the one car within 25' will be moved. Tire removal is nearing completion.
- 3.28.12: On the way to see the car moved I found the payloader blocking the entrance drive to the rear area, with the mechanic under the hood. He indicated the new engine had stopped running on the way to move the remaining car. Inspection today showed the payloader in the same location.
- 5.01.12: Payloader remains in the same location with a bad motor.
- 5.17.12: Payloader and the one vehicle have been moved. There are no vehicles within 25' of wetlands.
- 6.22.12: Inspection no vehicles are within 25' of wetlands.
- 7.10.12: Inspection no vehicles are within 25' of wetlands.
- 8.16.12: Inspection no vehicles are within 25' of wetlands.
- 9.19.12: Inspection no vehicles are within 25' of wetlands.

Informationals:

Logging Notice - next to 298 Wormwood Hill Rd

For your information, this is a form starting to be used by at least the better logging companies. The land is a few hundred feet south of Hansen's pond on Wormwood Hill Rd. The indication is that there is one wetland crossing. This will be done with temporary bridge that will span the brook with each end resting on solid ground.

With arboriculture defined in the statutes as an exempt farming use, we have limited wetland permits for logging operations to the construction that may be required along with the tree cutting such as road construction or a constructed road crossing a wetland. Neither seems to apply here.

Agent Approval - Barton et al, 88 Mansfield Hollow Rd

This is for a 12'x 20' garden shed in the rear yard of the house at 88 Mansfield hollow Rd. The location staked is 80 feet from the edge of wetlands. This is to a garden shed placed on gravel and is within the existing yard areas.

WETLANDS DRAFT APPROVAL MOTION FOR:

	MOVEDseconded, to grant an Inland Wetlands License pursuant to the
	Wetlands and Watercourses Regulations of the Town of Mansfield to Michael Block of Block
F	Wetlands and Watercourses Regulations of the Town of Mansfield to Michael Block of Block of Block of Block of Block of Block of Gile #W 1501) for replacement of an exiting Single-wide mobile from with a double-wide unit on bot 22, on
	property owned by the applicant, located
ОU	at 8-22 Hanks Hill Road, as shown on plans dated.
	revised through $\frac{8}{22}/12$, and as described in other application submissions, and as heard of
	Public Hearing (s) on
	This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met: 1.—All erosion and sedimentation controls (as shown on the plans) shall be in place prior to construction and maintained during construction and removed when disturbed areas are completely stabilized; 2. Maps shall not be signed until all DISEP permit requirements have been addressed.
	OAlthough erosion and sedimentation controls may not
	be needed, care should be taken when grading existing lawn areas next to the new unit;
	lawn areas next to the new unit;
	(2) This approved does mad extend to every a
	newsked on an old foundation on the opposite side
	of the brook.

Memorandum: September 26, 2012

To: Inland Wetland Agency

From: Grant Meitzler, Inland wetland Agent

Re: W1501 - Block - Hanks Hill Rd - unit replacement in buffer

plan reference: dated revised 8.22.2012

This application is for replacement of a single 12'x 60' mobile home unit with a 27'x 48' double wide unit.

There are two distinct wetlands here are within 150' of the proposed new unit, as follow:

- 1. there is a manmade swale that runs along the easterly boundary and carries flow from Hanks Hill Rd in a flow channel that is about 2 to 3 feet wide. The flow is intermittent and qualifies as a watercourse.
- 2. there is a large wetland area a short distance behind the units in this park. This is the usual skunk cabbage, maple and shrub area seen along the edges of a brook. This area drains to the large brook parallel to and south of Hanks Hill Rd that eventually flows to the Fenton River.

The replacement is 12 feet shorter resulting in a 15' separation distance from the nearby swale. This is about 10' more separation than was the case with the single unit that was removed.

I do recommend allowing minor grading in existing lawn areas next to this unit's location.



TOWN OF WINDHAM WATER WORKS

174 Storrs Road Mansfield Center, CT 06250 Tel. 860-465-3075 • FAX 860-465-3085

	 (X) Inland Wetlands Commission () Zoning Commission () Planning & Zoning Commission () Zoning Boards of Appeals 						
TOWN:	() () ()	Ashford Hampton Union Woodstock	() (X)	Chaplin Mansfield Willington	()	Eastford Pomfret Windham	
INSPECTE	D BY:	Troy Quick	J. W. M	Watershed	d Inspec	for	
DATE:		September 19	, 2012	WW file #M02	:12		

The Windham Water Works has received notification of a proposed project per the requirements of Public Act 89-301.

PROJECT DESCRIPTION:

Replacing one single wide mobile home with a double wide mobile home on Lot #22 of Hanks Hill Mobile Home Park , property is on the University sewer & water system

Applicant: Block Properties LLC

COMMENTS:

The Windham Water Works has reviewed the proposed project and we would have no objections, we will monitor accordingly.

September 27, 2012

Memorandum:

To: Inland Wetland Agency

From: Grant Meitzler, Inland Wetland Agent Re: New Business for October 1, 2012 meeting

New Application:

W1504 - Kueffner - Storrs Rd - Treescape

	yes	no
fee paid	x	
notice to neighbors	х	
map dated	9.25.20	12

This application is for a treescape. Plans have been prepared by Fuss & O'Neill. The work involves a driveway and parking lot in regulated areas.

Receipt and referral to the Conservation Commission are appropriate provided required additional materials are received..

Request for Exemption:

W1503 - Town of Mansfield - Sunny Acres Park

	yes	no
fee paid	n.a.	
notice to neighbors	n.a.	
map dated	9.12.20	12

This request is for an exemption under Section 4.1 B (second) of the wetlands regulations:

"The following operations and uses shall be permitted, as non-regulated uses in wetlands and watercourses, provided they do not disturb the natural and indigenous character of the wetland or watercourse by removal or deposition of material, alteration or obstruction of water flow or pollution of the wetl; and or watercourse:

A. . . .

B. Outdoor recreation including play and sporting areas, golf courses, field trials, nature study, hiking, horseback riding, swimming, diving, camping, boating, water sking, trapping, hunting, fishing and shell fishing where otherwise legally permitted and regulated."

c. . . .

The proposed work here is entirely in lawn areas except for a limited amount of brush starting to encroach on lawn area. None of the work is to take place in wetlands or watercourses.

There are two distinct work measures to be undertaken as follows:

- 1. remove existing play structures and replace 100 to 150' farther back, and
- 2. at a somewhat later date a 12 car parking area will be installed in areas near the front of the site using the present access drive to the site's lawn areas.

Greater detail and breakdown of proposed work measures has been provided with your packet.

Modification Requests:

W1492 - Healey - barn renovation

plan reference: dated 9.25.2012

For the wetlands application, approving this modification acknowledges the minor changes to the plans that have come about through plan review since the earlier approval.

W1490 - Eastbrook Mall - retaining wall changes

plan reference: dated 8.30.2012

The only change for these plans has been to eliminate the retaining wall in areas away from the Sawmill Brook. 50' of the retaining wall remains through areas closest to the brook to minimize potential impacts to the brook. Drainage from the now sloping areas is directed to the piped parking lot systems.

APPLICATION FOR PERMIT MANSFIELD INLAND WETLANDS AGENCY 4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268 TEL: 860-429-3334 OR 860-429-3330

FAX: 860-429-6863

FOR OFFICE USE ONLY					
File #	U1504				
Fee Paid	\$185				
Date Received	9-27-12				
1					

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer; attach additional pages as necessary.

Part A - Applicant Name Kueffner / Studdard	
Mailing Address 192 Ravine Road	the state of the s
Storrs, CT	Zip <u> </u>
Telephone-Home <u> 多やっ 30ら 327し</u> Telepho	ne-Business <u> </u>
Title and Brief Description of Project Seasonal Aerial Forest Ropes	Course - a seasonal
recrentional use	
Location of Project Route 195 (Storrs Ra	1 1/2 mile South of R1 32
Intended Start Date October / November 2	2012
Part B - Property Owner (if appin in is the owner, just v	
Mailing Address 192 Rovine Rd	Make Assets
Sterry, CT	Zip_06268-1503
Telephone-Home <u> २६० ५२५ १२२५</u> Telephone	e-Business %60-805 3276
Owner's written consent to the filing of this applica	tion, if owner is not the applicant:
Signature Cle Kuff	date 9/27/12
Applicant's interest in the land: (If other than owner)	•

	C - Project Description (attach extra pages, if necessary) Describe in detail the proposed activity here or on an attached page. (See guidelines
•	end of application – page 6.)
a)	Please include a description of all activity or construction or disturbance: in the wetland/watercourse
•	in the wettand/watercourse in the edge of) the wetland/watercourse, ever the area adjacent to (within 150 feet from the edge of) the wetland/watercourse, ever
•	if wetland/watercourse is <i>off</i> your property
_	See attached facompanying Statement of Use Decument.
a) b)	Describe the amount or area of disturbance (in square feet or cubic yards or acres): in the wetland/watercourse in the area adjacent to (within 150 feet from the edge of) the wetland/watercourse, ev if wetland/watercourse is off your property See attached faccompanying Statement of Use Document, Site Plant Wetland Believe tran Report.
3)	Describe the type of materials you are using for the project: As noted in plans
	by Dof).
a) b)	include type of material used as fill or to be excavated See site details/plan include volume of material to be filled or excavated See site detail sheet/
)	Describe measures to be taken to minimize or avoid any adverse impacts on the wetlands and regulated areas (silt fence, staked hay bales or other Erosion and Sedimentation control measures). Describe measures impacts on the wetlands and regulated areas (silt fence, staked hay bales or other Erosion and Sedimentation control measures).

Part E - Alternatives
Have you considered any alternatives to your proposal that would meet your needs and
might have less impact on the wetland/watercourse? Please list these alternatives. We considered an alternative driveway entrance, on the old logging roud, but the signt lines did not meet DOT requirements
We considered an alternative driveway entrance, on the old logging
road, but the sightlines did not meet DOT requirements
The proposed entrunce is sign sited to have minimal impact on the
wetland's
Part F - Map/Site Plan (all applications)
1) Attach to the application a map or site plan showing existing conditions and the
proposed project in relation to wetland/ watercourses. Scale of map or site plan should
be 1" = 40'; if this is not possible, please indicate the scale that you are using. A sketch
map may be sufficient for small, minor projects. (See guidelines at end of application –
page 6.)
,
2) Applicant's map date and date of last revision 9/25/12
3) Zone Classification PAF-90
3) Zone Classification <u>PAP-90</u> 4) Is your property in a flood zone?Yes✓No Don't Know
Part G - Major Applications Requiring Full Review and a Public Hearing
See Section 6 of the Mansfield Regulations for additional requirements.
Part H - Notice to Abutting Property Owners
List the names and addresses of abutting property owners
Name Address
Eist accompanies fatt application.
List attached
O) Military Notice to Aboutton. Very more to differ the filling of the control of
2) Written Notice to Abutters. You must notify abutting property owners by certified mail,
return receipt requested, stating that a wetland application is in progress, and that
abutters may contact the Mansfield Inland Wetlands Agent for more information. Include
a brief description of your project. <u>Postal receipts of your notice to abutters must</u>
accompany your application. (This is not needed for exemptions).

Part I - Additional Notices, if necessary

- 1) Notice to Windham Water Works is attached. If this application is in the public watershed for the Windham Water Works (WWW), you must notify the WWW of your project within 7 days of sending the application to Mansfield—sending it by certified mail, return receipt requested. Contact the Mansfield Inland Wetlands Agent to find out if you are in this watershed.
- 2) Notice to Adjoining Town. If your property is within 500 feet of an adjoining town, you must also send a copy of the application, on the same day you sent one to Mansfield, to the Inland Wetlands Agency of the adjoining town, by certified mail, return receipt requested.

	requested.
3)	The Statewide Reporting Form (attached) shall be part of the application and specified parts must be completed and returned with this application.
1)	- Other Impacts To Adjoining Towns, if applicable Will a significant portion of the traffic to the completed project on the site use streets within the adjoining municipality to enter or exit the site?Yes_∠NoDon't Know
2)	Will sewer or water drainage from the project site flow through and impact the sewage or drainage system within the adjoining municipality? Yes✓No Don't Know
	Will water run-off from the improved site impact streets or other municipal or private property within the adjoining municipality? YesNoDon't Know
•	- Additional Information from the Applicant Set forth (or attach) any other information which would assist the Agency in evaluating your application. (Please provide extra copies of any lengthy documents or reports, and extra copies of maps larger than 8.5" x 11", which are not easily copied.)
- -	- Filing Fee Submit the appropriate filing fee. (Consult Wetlands Agent for the fee schedule available in the Mansfield Inland Wetlands and Watercourses Regulations.)\$1,000\$750\$500\$250\$125\$100\$50\$25.
which is regulate may inv	The Agency may require you to provide additional information about the regulated area is the subject of the application, or about wetlands or watercourses affected by the ed activity. If the Agency, upon review of your application, finds the activity proposed yolve a "significant activity" as defined in the Regulations, additional information and/or a nearing may be required.
in In	the undersigned applicant hereby consents to necessary and proper aspections of the above mentioned property by members and agents of the pland Wetlands Agency, at reasonable times, both before and after the ermit-in question has been granted by the Agency.
7	Applicants/Signature Date




1 Executive Summary

The Applicant (Kueffner/Stoddard) proposes to develop a Seasonal Aerial Forest Ropes Course on less than ten acres of an approximately 120-acre parcel of land along Route 195 in Mansfield, Connecticut. In addition to the high ropes course and the aerial tree-mounted features, the proposed facility will include the installation of an entrance driveway, parking area, and stormwater treatment/management swales. These ground-mounted site improvements are limited to the northern portion of the property and will disturb approximately 1.25 acres of land.

The majority of stormwater runoff from the proposed improvements will be captured by shallow stormwater treatment/management swales prior to discharging to the existing wetland system along Route 195. These stormwater swales will improve stormwater quality by promoting infiltration of runoff, and will partially attenuate peak flows leaving the site by providing some temporary storage and promoting sheet flow discharge.

Existing and proposed hydrologic conditions for the developed area were evaluated. The evaluation demonstrates a slight increase in stormwater peak discharge from the proposed site for the 2-, 10-, 25-, and 100-year storm events as compared to existing conditions. Although peak stormwater flows will slightly increase in proposed conditions, the overall magnitude of the increases will not be significant (approximately 1 cubic-foot-per-second overall increase during a 25-year storm event).

Erosion and sedimentation control details and narratives for construction periods are provided in the site plans. E&S details and procedures are consistent with the 2002 Guidelines for Soil Erosion and Sedimentation Control, and town requirements.



2 Existing Conditions

The site is located along the south side of Route 195 approximately one-quarter mile west of Baxter Road in Mansfield, Connecticut. A Site Location Map is included as Figure 1.

In general, existing on-site drainage conditions may be characterized as follows:

- Runoff from approximately one acre of land on the eastern portion of the site sheet flows to the north, towards Route 195, down the existing hillside. Runoff from both the site and portions of Route 195 discharge into a wetland at the northeast corner of the site (denoted as Wetland "A" in the existing watershed analysis). This wetland drains easterly along Route 195. This outfall is denoted as link 1L, "Eastern Outfall".
- The remaining portions of the site follow a similar drainage pattern. Runoff sheet flows to the north, where it combines with runoff from Route 195 in one of two wetlands at the northwest corner of the site. The two wetlands (denoted as Wetland "B" and Wetland "C") are connected by a 12 inch corrugated metal pipe. These wetlands drain into a catch basin with an at-grade inlet, through a reinforced concrete pipe and culvert end discharging north of Route 195. The catch basin is denoted as link 2L, "Western Outfall".

The overall stormwater catchment areas contributing to the various outfalls were delineated to evaluate the existing hydrological conditions. In total, approximately 13.32 acres of land contribute to the subject drainage areas. These drainage areas are illustrated on sheet DRA-01 (Existing Drainage Areas), which is included in *Appendix A* along with the existing watershed model. Underlying soil types, as characterized by the Natural Resources Conservation Service Web Soil Survey, are depicted in *Figure 2*.



3 Proposed Conditions

Although the total facility will occupy slightly less than 10 acres of land, most facility components will be aerial tree-mounted features to support the high-ropes course. As such, only 1.25 acres of this land will be disturbed to construct necessary ground-mounted features, including an entrance driveway, a gravel parking area, a level pad for a temporary ticket/equipment storage shed, and several stormwater treatment/management swales. Overall, drainage patterns will continue to function the same as compared to existing conditions.

Five stormwater treatment/management swales will be installed along the northern (downgradient) edges of the proposed gravel parking area. These swales have been designed to capture runoff from the majority of the parking area, and will provide some storage volume for the attenuation of peak flows as well as for improvement of water quality. Excess stormwater leaving the swales will discharge via earthen weir, promoting sheet flow towards the wetland systems. Of the total 13.32 acre contributing drainage area, approximately 6.94 acres are captured by the proposed stormwater swales. The drainage model for proposed conditions has been further defined to model the performance of each stormwater swale.

The following tables summarize peak existing vs. proposed stormwater flows and volumes for the watershed analysis.

Table 1 2 Year Design Storm					
Design Point	Existing Flow (CFS)	Proposed Flow (CFS)	Net Change (CFS)		
Eastern Outfall	0.01	0.09	0.08		
Western Outfall	0.00	0.08	0.08		
Total	0.01	0.14	0.16		

Table 2 10 Year Design Storm					
Design Point	Existing Flow (CFS)	Proposed Flow (CFS)	Net Change (CFS)		
Eastern Outfall	0.16	0.46	0.30		
Western Outfall	0.11	0.62	0.51		
Total	0.27	1.08	0.81		

Table 3 25 Year Design Storm					
Design Point	Existing Flow (CFS)	Proposed Flow (CFS)	Net Change (CFS)		
Eastern Outfall	0.32	0.67	0.35		
Western Outfall	0.28	0.99	0.71		
Total	0.60	1.66	1.06		



	Table 100 Year De	- •	***
Design Point	Existing Flow (CFS)	Proposed Flow (CFS)	Net Change (CFS)
Eastern Outfall	0.77	1.17	0.40
Western Outfall	1.43	1.92	0.49
Total	2.20	3.09	0.89

Although peak stormwater flows will slightly increase in proposed conditions, the overall magnitude of the increases will not be significant relative to the frequency of the storm event (approximately 1 cubic-foot-per-second overall increase during a 25-year storm event). Moreover, installation of a detention system would require additional clearing, earthwork and impact to the existing wooded site, and would concentrate discharge outflows. (Note that care has been taken to preserve large, established trees via the non-linear orientation and layout of the parking area.)

Runoff catchment areas for the redevelopment were delineated to evaluate proposed hydrologic conditions. These watersheds are illustrated on sheet DRA-02, which is presented with associated calculations in *Appendix B*.



::3

4 Construction Stormwater Management and Soil Erosion and Sedimentation Control

A detailed E&S control plan has been prepared for the site. During construction, measures will be taken to reduce erosion and manage sedimentation from disturbed surfaces. The following Best Management Practices (BMPs) will be employed:

- Existing stormwater collection structures (catch basins) will be fitted with filter fabric inserts to remove sediments from the run-off prior to entering the receiving drainage systems.
- Silt fence will be installed at clearing limits and the down-gradient perimeter of the disturbed portion of the site.
- Construction Entrances will be installed to prevent tracking of sediment off site.

These BMPs will protect downstream stormwater collection systems following construction. The plan has been prepared in accordance with the 2002 Erosion and Sedimentation Control Guidelines (DEEP Bulletin 34).

Erosion and sedimentation control (E&S) details and narratives for construction periods are provided in the site plans. E&S details and procedures are consistent with the 2002 Guidelines for Soil Erosion and Sedimentation Control (DEEP Bulletin 34), and town requirements.

4.1 Post-Construction Stormwater Management

At the end of construction, all areas disturbed by construction activities shall be stabilized. As a result, the potential for erosion at this site after construction is minimal. Perimeter controls (i.e., silt fence) will be actively maintained until final stabilization of those portions of the site up-gradient of the perimeter control. Temporary perimeter controls will be removed after final stabilization.

The water quality of runoff from the developed site will be improved using widely accepted Best Management Practices (BMPs). The goal of the post-construction stormwater management is to remove 80% of the total suspended solids from stormwater. Water quality will be achieved for the site through the utilization of the stormwater management/treatment swales. Weir outlets will provide settling time necessary to remove sediment from the first-flush of runoff (1-inch of rainfall). This goal is consistent with those of Connecticut and federal stormwater regulations.

The required water quality volume (WQV) to be stored for the areas draining to the stormwater quality swales is 3,074 cubic feet, based on the drainage area collected by the swales, and conservatively assuming the gravel surface is completely impervious. The water quality swales provide a total storage volume of approximately 3,370 cubic feet. Therefore, the



proposed stormwater quality swales will provide the required WQV for the contributing drainage area. A spreadsheet depicting the WQV required for the contributing drainage areas in included in *Appendix B*.

These design measures incorporate commonly used Best Management Practices and follows guidelines set forth by the CT DEEP Stormwater Quality Manual and the Connecticut and federal stormwater regulations.




5 Methods

The watershed analysis for existing and proposed conditions was completed using the HydroCAD Software Solutions computer program. The HydroCAD program is based on NRCS TR-20 methods. The methods described in the NRCS TR-55 manual were followed to calculate the curve number and time of concentration input data for this model. A curve number of 98 was used for paved surfaces, while curve numbers of 76 to 91 were used for gravel parking lot surfaces depending on underlying soil types. Pervious surfaces were modeled using curve numbers of 32 to 80 depending on the general surface conditions and underlying soil types. These values are acceptable for surfaces over Hydrological Group-'A' soils per the NRCS TR-55 Drainage Manual.



WETLAND DELINEATION REPORT

PREPARED FOR: Kueffner Property			
CONTACT: Lynn Stoddard			
PROJECT TITLE: Kueffner Property			
PROJECT LOCATION: Route 195, Mansfield			
Project No: 20111004.A20			
The control Dynam regrees and the district of the state o			
PROJECT DESCRIPTION: Wetland delineation for siting of a parking lot			
Duranta and Tamanana and Tamana			
DATE(s) OF INVESTIGATION: December 14, 2011			
WEATHER: Sunny, 40F Rain (last 24 hours): 0.00 inches			
METHOD OF WETLAND/WATERCOURSE DELINEATION			
Delineation: Connecticut Inland Wetlands & Watercourses			
U.S. Army Corps of Engineers			
☐ Tidal Wetlands			
Flag Number Sequence: <u>A100-A118, B200-B241, C293-C312</u>			
Field Plotted: Site sketch Aerial photograph GPS (sub-meter) located			
Site mapping: VT-01 Scale 1" = 30' Contours: 1 ft			
METHOD OF UPLAND SOIL DELINEATION			
☐ Field Confirmed NRCS soil mapping			
FIELD INVESTIGATION METHOD			
Spade & Auger Deep test pit (backhoe) Other:			
Ext object of read by the control of			
SOIL CONDITIONS			
Dry Moist Wet Frozen (in.) Snow cover (in.)			
The wetland and material many delinested in social many with the little			
The wetland and watercourses were delineated in accordance with applicable local, state and federal statutes, regulations and guidance. Classification and mapping of soils on site were conducted in a manner consistent with the U.S. Department of			
Agriculture Soil Survey Manual (Soil Survey Staff, 1992). This delineation does not constitute an official wetland			
boundary until such time as it is accepted and approved by local, state or federal regulatory agencies.			
As Prepared By:			
John Wilson			
forkur our			
Joshua H. Wilson			
Soil Scientist			



WETLAND DELINEATION REPORT

SUMMARY OF SOILS

Wetland Soils

Aquents: Poorly to very poorly drained soils formed in human transported material or on excavated (cut) landscapes. This soil series was identified primarily by the "A" flag series, which appears to have been a borrow pit.

Aquepts: Poorly to very poorly drained soils with an aquic moisture regime and showing some soil development in the B-horizon. Soils mapped as Aquepts at the site belong to the Ridgebury, Leicester and Whitman series and were observed in wetland areas flagged with the "B" and "C" series.

Upland Soils

Udorthents: Well drained to excessively drained soils that have been disturbed by cutting or filling, and areas that are typically covered by buildings and pavement. These upland soils were observed associated with the existing logging road as well as spoil piles adjacent to the former "borrow pit."

Gloucester Somewhat excessively drained soils formed in sandy glacial till. They are nearly level to very steep soils ground moraine uplands and moraines.

SUMMARY OF WATERCOURSE AND HYDROLOGY


- There are no previously mapped watercourses on the site
- Groundwater seepage from the "borrow pit" developes into an small intermittent stream flowing in a northerly direction. This stream flows under the logging road and joins with surface discharge from wetland area "B"
- Surface drainage from wetland area "B" collects and flows in a westerly direction as an
 intermittent stream. The intermittent stream enters a culvert and flows northerly under Route
 195.
- There is a tentative connection beween wetland area "B" and "C" that appears to flow only
 during the most extream precipitation events.

SUMMARY OF WETLAND FUNCTION & VALUES ASSESSMENT

 The wetlands on site provide the following functions and/or values: groundwater discharge, sediment/toxicant rentention, nutrient removal/renovation and production export.

ATTACHMENTS

- Site sketch
- NRCS Soil Drainge Class Mapping
- · Wetland Determination Forms



Web Soil Survey National Cooperative Soil Survey

Natural Resources Conservation Service

USDA

Drainage Class-State of Connecticut (20111004.A20 - Kueffner Property)

MAP LEGEND

Area of Interest (AOI) Soil Map Units Area of Interest (AOI) Soils

Somewhat excessively Excessively drained drained Soil Ratings

Somewhat poorly drained Moderately well drained Poorly drained

Well drained

Very poorly drained

Subaqueous

Not rated or not available

Political Features

Cities

Streams and Canals Water Features

Interstate Highways US Routes Rails Transportation ‡ ţ

Local Roads Ş

Major Roads

MAP INFORMATION

Map Scale: 1:3,470 if printed on A size (8.5" \times 11") sheet.

The soil surveys that comprise your AOI were mapped at 1:12,000.

Warning: Soil Map may not be valid at this scale.

misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale. Enlargement of maps beyond the scale of mapping can cause

Please rely on the bar scale on each map sheet for accurate map measurements.

http://websoilsurvey.nrcs.usda.gov Source of Map: Natural Resources Conservation Service Coordinate System: UTM Zone 18N NAD83 Web Soil Survey URL:

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Survey Area Data: Version 10, Mar 31, 2011 State of Connecticut Soil Survey Area:

Date(s) aerial images were photographed: 8/16/2006

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident. The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background

Drainage Class

1	Drainage Class— Summ	ary by Map Unit — State of Conne	ecticut (CT600)	
Map unit symb	ool Map unit hame	Rating	Acres in AOI	√. Percent of AOI = 4
3	Ridgebury, Leicester, and Whitman solls, extremely stony	Poorly drained	6,2	15.4%
57C	Gloucester gravelly sandy loam, 8 to 15 percent slopes	Somewhat excessively drained	2.3	5.6%
59D	Gloucester gravelly sandy loam, 15 to 35 percent slopes, extremely stony	Somewhat excessively drained	13.1	32.4%
61C	Canton and Charlton soils, 8 to 15 percent slopes, very stony	Well drained	4.0	9.9%
62D	Canton and Charlton soils, 15 to 35 percent slopes, extremely stony	Well drained	14.8	36.6%
73C	Charlton-Chatfield complex, 3 to 15 percent slopes, very rocky	Well drained	0.1	0.2%
Totals for Area	of Interest		40.5	100.0%

Description

"Drainage class (natural)" refers to the frequency and duration of wet periods under conditions similar to those under which the soil formed. Alterations of the water regime by human activities, either through drainage or irrigation, are not a consideration unless they have significantly changed the morphology of the soil. Seven classes of natural soil drainage are recognized-excessively drained, somewhat excessively drained, well drained, moderately well drained, somewhat poorly drained, poorly drained, and very poorly drained. These classes are defined in the "Soil Survey Manual."

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: Kueffact Property	City/County: Mansfield Sampling Date: 12/14/11
Applicant/Owner: Christopher Kneffner / Lynn	Sholderd State: CT Sampling Point: BIU
Investigator(s): Josh Wilson	Section, Township, Range:
Landform (hillstope, terrace, etc.): 78e-hills/mer	Local relief (concave, convex, none): Concave
Slone (%): 5 Lat: 4/° 49'52 85" N	Long: 72° /8'3.33" W Datum: WGSSY
	NWI classification: ∠/A
Are climatic / hydrologic conditions on the site typical for this time of	
Are Vegetation, Soil, or Hydrology significa	
	· · · · · · · · · · · · · · · · · · ·
Are Vegetation, Soil, or Hydrology naturally	· · · · · · · · · · · · · · · · · · ·
Sommart of Findings - Attach site map snow	ing sampling point locations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes No	Is the Sampled Area
Hydric Soil Present? Yes No	within a Wetland? Yes No
Wetland Hydrology Present? Yes No	If yes, optional Wetland Site ID:
Remarks: (Explain alternative procedures here or in a separate re	aport.)
HYDROLOGY	
Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that app	ly) Surface Soil Cracks (B6)
Surface Water (A1) Water-Stain	ed Leaves (B9) Drainage Patterns (B10)
High Water Table (A2) Aquatic Fau	
Saturation (A3) Marl Deposit	
Water Marks (B1) Hydrogen St	_ , ,,,,,
	izospheres on Living Roots (C3) Saturation Visible on Aerial Imagery (C9)
	Reduced Iron (C4) Stunted or Stressed Plants (D1)
/ ron Deposits (B5) Thin Muck S	Reduction in Tilled Soils (C6) Geomorphic Position (D2)
Inundation Visible on Aerial Imagery (B7) Other (Expla	 , , ,
Sparsely Vegetated Concave Surface (B8)	FAC-Neutral Test (D5)
Field Observations:	
Surface Water Present? Yes No X Depth (inch	es):
Water Table Present? Yes No Depth (inche	
Saturation Present? Yes No _X_ Depth (Inche	es): Wetland Hydrology Present? Yes No
(Includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial pho	otos previous inspections) if available:
garage, manifestation plants	xoo, provided inspections), if available.
Develop	
Remarks:	
•	•

VEGETATION – Use scientific names of plant	ა.			Sampling Point: <u>B/U/</u>
Tree Stratum (Plot size: 3 0		Species?	t Indicator Status	Dominance Test worksheet:
1. Queras rubras. 2. Anyos SM bvs		<u> </u>	FACU	That Are OBL, FACW, or FAC: (A)
3. Acer rubrum		<u>\lambda</u>	FACU	Total Number of Dominant Species Across All Strata: (B)
5			· 	Percent of Dominant Species That Are OBL, FACW, or FAC: 562 (A/B
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
_1	100	= Total Co	ver	OBL species O x1 = G
Sapling/Shrub Stratum (Plot size:(5)			~	FACW species x 2 = c
1. Carpins carolinione	10	<u> </u>	+AC	FAC species $25 \times 3 = 75$
2. Hamanelis virginiana				FACU species 90 x4 = 360
3.				UPL species $0 \times 5 = 0$ Column Totals: $1/.5 \times 6 \times 93.5 \times 6$
4 5.	- 			Prevalence index = $B/A = 3 \cdot 78$
5. 6.				Hydrophytic Vegetation Indicators:
7				Rapid Test for Hydrophytic Vegetation
	_/5 =	: Total Cov	er l	Dominance Test is >50%
Herb Stratum (Plot size: 5)	— <i>{t</i>	10101 004		Prevalence Index is ≤3.0 ¹
1				Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
2				Problematic Hydrophytic Vegetation¹ (Explain)
3				¹ Indicators of hydric soil and wetland hydrology must
\$				be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
	· —— -			Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
,				Sapling/shrub – Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.
0				Herb – All herbaceous (non-woody) plants, regardless
1				of size, and woody plants less than 3.28 ft tall.
2			1	Woody vines – All woody vines greater than 3.28 ft in height.
loody Vine Stratum (Plot size:)	=	Total Cove	r	
				-
				Hydrophytic Vegetation /
				Hydrophytic Vegetation Present? Yes No

Profile Description: (Describe to the	depth needed to docur	nent the in	dicator	or confire	n the absence of indic	ators.)
Depth Matrix (inches) Color (moist) %	Redo	x Features				•
0-8 104K311	Color (moist)	%	Type.	Loc²		Remarks
1011-011				·	<u>fsl</u>	•
	· · · · · · · · · · · · · · · · · · ·				<u>ts</u>	
24-36+104B-116					_f <u>s</u>	
						
						•
						
¹ Type: C=Concentration, D=Depletion, Ri Hydric Soil Indicators:	M=Reduced Matrix, CS	Covered o	r Coated	Sand Gra	ains. ² Location: PL	=Pore Lining, M=Matrix.
Histosol (A1)	Pohashio Polovi	Curton (C)	0) ((255	_	Indicators for Probl	ematic Hydric Solls³:
Histic Epipedon (A2)	Polyvalue Below MLRA 149B)	Surface (Si	6) (LRR	К,	2 cm Muck (A10)) (LRR K, L, MLRA 149B) dox (A16) (LRR K, L, R)
Black Histic (A3)	Thin Dark Surfac	e (S9) (LRF	R, MLF	RA 149B)	5 cm Mucky Pea	t or Peat (S3) (LRR K, L, R)
Hydrogen Sulfide (A4) Stratified Layers (A5)	Loamy Mucky Mi Loamy Gleyed M		LRR K, I	-)	Dark Surface (S7	') (LRR K, L)
Depleted Below Dark Surface (A11)	Depleted Matrix (Polyvalue Below Thin Dark Surfac	Surface (S8) (LRR K, L) e (S9) (LRR K, L)
Thick Dark Surface (A12)	Redox Dark Surfa				Iron-Manganese	Masses (F12) (LRR K, L, R)
Sandy Mucky Mineral (S1) Sandy Gleyed Matrix (S4)	Depleted Dark St Redox Depressio				Piedmont Floodp	lain Soils (F19) (MLRA 149B)
Sandy Redox (S5)	reduct Depressio	113 (1 0)			Red Parent Mate	A6) (MLRA 144A, 145, 149B) rial (TF2)
Stripped Matrix (S6)					Very Shallow Dar	k Surface (TF12)
Dark Surface (S7) (LRR R, MLRA 149	96)				Other (Explain in	Remarks)
³ Indicators of hydrophylic vegetation and w	elland hydrology must l	be present,	unless d	isturbed o	or problematic.	
Restrictive Layer (if observed):						
Type: † 1						$\sqrt{}$
Remarks:			·		Hydric Soil Present?	Yes No
. Contanto.						
		ን	212		BILLI	
		4	L.		A _	
	النابي					
	BIWI					
	4					
	, I					
X						
	,					
	1					

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Kneffner Property City/County: Mansfield Sampling Date: 12/04/1
Applicant/Owner: Christopher Kueffner./Lynn Stoddard State: CT Sampling Point: BIN
Investigator(s): Josh Wilson Section, Township, Range: N/A
Landform (hillslope, terrace, etc.): Toe - hill stope Local relief (concave, convex, none): Luncave
Slope (%): 5 Lat: 41° 49'53.23" N Long: 72° 17' 59.66" Datum: W6584
College (76). 5 Lat. 77 9 7 3 3.23 N Long: 72 7 7 3 7.66 W Datum: W65 8 4
Soil Map Unit Name: Rigebury Leicester, Whitman (3) NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)
Are Vegetation, Soil, or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No
Are Vegetation, Soil, or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes No Is the Sampled Area
Hydric Soil Present? Yes No Within a Wetland? Yes No
Wetland Hydrology Present? Yes No If yes, optional Wetland Site ID:
Remarks: (Explain alternative procedures here or in a separate report.)
·
HYDROLOGY
Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6)
Surface Water (A1) Water-Stained Leaves (B9) Drainage Patterns (B10)
High Water Table (A2) — Moss Trim Lines (B16)
△ Saturation (A3)
Water Marks (B1) Hydrogen Sulfide Odor (C1) Crayfish Burrows (C8)
Sediment Deposits (B2) X Oxidized Rhizospheres on Living Roots (C3) Saturation Visible on Aerial Imagery (C9)
Drift Deposits (B3)
Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2)
Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquillard (D3)
Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4)
Sparsely Vegetated Concave Surface (B8) Field Observations: Field Observations:
Surface Water Present? Yes NoX _ Depth (inches):
Water Table Present? Yes No Depth (inches): /0" Saturation Present? Yes No Depth (inches): /0" Wetland Hydrology Present? Yes No No
Saturation Present? YesX No Depth (inches): Wetland Hydrology Present? YesX No No
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
Remarks:
·

The state of the s	·			•	ing Point:	
Tree Stratum (Plot size: 30'	Absolute % Cover		t Indicator Status			
	75 COVE	Species (Status	Number of Dominant Species		
1. Acer rubrum	- 42		FAC	That Are OBL, FACW, or FAC:	_6	(A)
2				Total Number of Dominant		
3			·	Species Across All Strata:		(B)
4						• •
5				Percent of Dominant Species That Are OBL, FACW, or FAC:	100	(A/B)
6				Prevalence Index worksheet:		
7				Total % Cover of:	Multiply by:	
~- 1	<u>+3</u>	= Total Co	ver	OBL speciesO x	1=	
Sapling/Shrub Stratum (Plot size: 1 >)				FACW species x		
1. Lindera benzoin	20	Y	FACW	FAC speciesx	3= /70	255
2. Carpinus caroliniana		Ý	FAC	FACU species x		_
3. Vaccinium carymbosym	/70		FACW	UPL species 3 x x		_
S. Wissiniam Congression	-10	/		Column Totals: /30 (A)	355	_ _ (B)
4. Pose multiflora	_		FACH		_	
5				Prevalence Index = B/A =		
6				Hydrophytic Vegetation Indicat	tors:	
7.				Rapid Test for Hydrophytic V	/egetation	
	45 =	Total Car		➤ Dominance Test is >50%	•	
Herb Stratum (Plot size: 5')		· Total Got	/ei	Prevalence Index is ≤3.0		
1. Osmunda & (innamonea	5	3 Y	FACW	Morphological Adaptations¹ (data in Remarks or on a s	Provide support	ing
2. Chocles sensibilis	5		F. 100	Problematic Hydrophytic Veg		n)
3.				riosioniano riyotophiyno veg	ctation (Explain	'/
4				Indicators of hydric soil and wette	and hydrology m	ıust
5				be present, unless disturbed or pr		
6				Definitions of Vegetation Strata	1.	
				Tree - Woody plants 3 in. (7.6 cm	n) or more in dia	meter
7				at breast height (DBH), regardless	s of height.	i
8				Sapling/shrub – Woody plants le and greater than 3.28 ft (1 m) tall.	ss than 3 in. DB	H
9						
11			<u></u>	Herb – All herbaceous (non-wood of size, and woody plants less tha	y) plants, regard in 3.28 ft tall.	iless
12.		·		Woody vines - All woody vines g		
59/2	100 -	Total Cove		height.	reater than 5.20	. 10.111
9 1		TOTAL COVE	31			
Woody Vine Stratum (Plot size:)						
1						
2,						
3				Hydrophytic		
4				Vegetation		
		Total Cove)r	Present? Yes	No	İ
Remarks: (Include photo numbers here or on a separate sh		TOTAL COVE			· · · · · · · · · · · · · · · · · · ·	
the second of the separate still	JJ.,					

	ription: (Describe	to the de	pth needed to docu	ment the	Indicator	or confir	n the absence of	indicators	s.)
Depth (inches)	Matrix Color (moist)	%	Red Color (moist)	ox Feature %	es Type ¹	Loc ²	Tautura		Damasta
0-18	10YRZ/1		Color (moist)	<u>. %</u>		LOC	MLfs1	40	Remarks 010 4
18-24	2-545/3	20	104K5/5	10	<u>c</u>	PL		1/2.0	
			, , , , , , , , , , , , , , , , , , , ,			· · · · · · · · · · · · · · · · · · ·			
									
			-						
				· ·					

· · · · · · · · · · · · · · · · · · ·									
								·	
					•		***************************************	······································	**- 144
	-								
¹Type: C=Cor	centration D=Deal		=Reduced Matrix, C:	S=Covered	d or Cools		roing 21 + 2-41	on: 01 =0 :	ro I labo 34-14-1
Hydric Soil In	idicators:	zaon, rav	левисев ічаніх, Сі	2-0046t6(u or coated	ı əand Gi		<u>งก: PL=P0</u> r Problema	re Lining, M≕Matrix. atic Hydric Soils³≀
Histosol (/			Polyvalue Belo	w Surface	(S8) (LRR	R,			RR K, L, MLRA 149B)
X Histic Epip			MLRA 149B						(A16) (LRR K, L, R)
Black Hist	ic (A3) Sulfide (A4)		Thin Dark Surfa					ky Peat or ace (S7) (L	Peat (S3) (LRR K, L, R)
Stratified I	Layers (A5)		Loamy Gleyed			L)			face (S8) (LRR K, L)
	Below Dark Surface	(A11)	Depleted Matrix		-		Thin Dark	Surface (S	89) (LRR K, L)
	k Surface (A12) cky Mineral (S1)		Redox Dark Su						sses (F12) (LRR K, L, R)
	eyed Matrix (S4)		Depleted Dark		7)				Soils (F19) (MLRA 149B) (MLRA 144A, 145, 149B)
Sandy Red	dox (S5)			(. 0)				nt Material	
Stripped M	• •						Very Shal	low Dark S	urface (TF12)
Dark Surfa	ace (S7) (LRR R, MI	-RA 149	В)				Other (Ex	plain in Rer	marks)
³ Indicators of h	ydrophylic vegetatic	n and w	etland hydrology mus	t be prese	nt, unless	disturbed	or problematic.		
	yer (if observed):								-
Туре:									V
Depth (inch	es):						Hydric Soil Pre	sent? Y	'es No
Remarks:									
					•		Blui		
			•				Diver		
				B2	12		4		
				>	•			•	
		وغير		T					
		B	lwi						
			4						
							i		
. \									
									i

Request for Exemption

APPLICATION FOR PERMIT MANSFIELD INLAND WETLANDS AGENCY 4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268 TEL: 860-429-3334 OR 860-429-3330 FAX: 860-429-6863

FOR (OFFICE USE ONLY
File #	Exemption
Fee Paid	<u></u>
Date Received	9-27-12
1	

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer; attach additional pages as necessary.

A - Applicant Name	MANSFIELD
Mailing Address <i>Y</i> Sow	TH GAGLEVILLE RD.
MANSFIELD - STORRS,	
Telephone-Home	Telephone-Business 860-429-3015
Title and Brief Description of	
	REPLACEA
Location of Project	VNY ACLES PALK
Intended Start Date 6 CT	-, 17
B - Property Owner (if applicant Name	t is the owner, just write "same")
	Zip
Telephone-Home	Telephone-Business
Owner's written consent to the	filing of this application, if owner is not the applicant:
Signature Cut/un	aund date 9-27-12

b)	<u>in</u> the area <i>adjacent</i> to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is <i>off</i> your property
	SGG ATTACHED
a)	Describe the amount or area of disturbance (in square feet or cubic yards or acres): in the wetland/watercourse in the area adjacent to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is off your property 2,736 FT.
a) b) 	<u>in</u> the wetland/watercourse <u>in</u> the area <i>adjacent</i> to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is off your property
a) b) 3) 	in the wetland/watercourse in the area adjacent to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is off your property 2,736 SP FT.

H	E - Alternatives ave you considered any alternatives to your proposal that would meet your needs and ight have less impact on the wetland/watercourse? Please list these alternatives. NONE AVAILABLE
1	F - Map/Site Plan (all applications)) Attach to the application a map or site plan showing existing conditions and the proposed project in relation to wetland/ watercourses. Scale of map or site plan should be 1" = 40"; if this is not possible, please indicate the scale that you are using. A sketch map may be sufficient for small, minor projects. (See guidelines at end of application – page 6.)
3)	Applicant's map date and date of last revision
Part	G - Major Applications Requiring Full Review and a Public Hearing e Section 6 of the Mansfield Regulations for additional requirements.
	H - Notice to Abutting Property Owners List the names and addresses of abutting property owners Name Address
2)	Written Notice to Abutters. You must notify abutting property owners by certified mail, return receipt requested, stating that a wetland application is in progress, and that abutters may contact the Mansfield Inland Wetlands Agent for more information. Include a brief description of your project. <u>Postal receipts of your notice to abutters must accompany your application.</u> (This is not needed for exemptions).

Part I - Additional Notices, if necessary

- 1) Notice to Windham Water Works is attached. If this application is in the public watershed for the Windham Water Works (WWW), you must notify the WWW of your project within 7 days of sending the application to Mansfield--sending it by certified mail, return receipt requested. Contact the Mansfield Inland Wetlands Agent to find out if you are in this watershed.
- 2) Notice to Adjoining Town. If your property is within 500 feet of an adjoining town, you must also send a copy of the application, on the same day you sent one to Mansfield, to the Inland Wetlands Agency of the adjoining town, by certified mail, return receipt requested.

	3)	The Statewide Reporting Form (attached) shall be part of the application and specified parts must be completed and returned with this application.
Pa		- Other Impacts To Adjoining Towns, if applicable Will a significant portion of the traffic to the completed project on the site use streets within the adjoining municipality to enter or exit the site?YesVNoDon't Know
	2)	Will sewer or water drainage from the project site flow through and impact the sewage or drainage system within the adjoining municipality? Yesv_No Don't Know
	3)	Will water run-off from the improved site impact streets or other municipal or private property within the adjoining municipality? YesNoDon't Know
Pa	ırt K	C - Additional Information from the Applicant Set forth (or attach) any other information which would assist the Agency in evaluating your application. (Please provide extra copies of any lengthy documents or reports, and extra copies of maps larger than 8.5" x 11", which are not easily copied.)
Pa	irt L	- Filing Fee Submit the appropriate filing fee. (Consult Wetlands Agent for the fee schedule available in the Mansfield Inland Wetlands and Watercourses Regulations.)\$1,000\$750\$500\$250\$125\$100\$50\$25.
		\$60 State DEP Fee
wh reg ma	iich gula ay in	The Agency may require you to provide additional information about the regulated area is the subject of the application, or about wetlands or watercourses affected by the ted activity. If the Agency, upon review of your application, finds the activity proposed wolve a "significant activity" as defined in the Regulations, additional information and/or a hearing may be required.
	i. 1	The undersigned applicant hereby consents to necessary and proper inspections of the above mentioned property by members and agents of the inland Wetlands Agency, at reasonable times, both before and after the permit in question has been granted by the Agency. 9-27-17
	_	Applicant's Signature Date



Town of Mansfield Parks and Recreation Department



Curt A. Vincente, Director

10 South Eagleville Road

Storrs/Mansfield, Connecticut 06268

Tel: (860) 429-3015 Fax: (860) 429-9773 Email: Parks&Rec@MansfieldCT.org

Website: www.MansfieldCT.org

TO:

Curt Hirsch, Zoning Agent

FROM:

Curt Vincente, Director of Parks & Recreation

DATE:

September 27, 2012

SUBJECT:

Sunny Acres Park Playscape Replacement Project

Attachment to "Request for Site Modifications"

The Town of Mansfield will be replacing the existing playscape at Sunny Acres Park. The existing playscape is over 20 years old and is no longer repairable. As part of this project, other site improvements are planned, which may be done in phases as time permits for the Public Works Department to fit into their work schedules. The details of the Sunny Acres Park Playscape Replacement Project are as follows:

- The new playscape will be similar in size to the existing playscape, but will be located slightly to the south of the existing playscape to allow for a future parking addition. The dimensions of the fallzone area for the new playscape are 76' by 36' or 2,736 square feet. Attached are detailed drawings of the new playscape site dimensions and also a color rendering of what the playscape will look like.
- The Town will hire a local landscape contractor to prepare the site for the new playscape, which is shown on the attached map. This work will include removal of some overgrowth and invasive scrubs at the edge of the field, limited branch trimming, removal of one small, four inch tree, and excavation of surface material (12 inch depth, by the dimensions indicated above) to accommodate the playscape safety surfacing. The material will be removed from the site and deposited at the Town Landfill in the appropriate stockpiles. Once the site is prepared, the construction area will be secured with caution tape until the installer completes the installation.
- A certified playscape installer will be hired as part of the acquisition of the new playscape equipment and will be installed as specified and detailed.
- The new playscape will meet all current codes and accessibility standards as determined by the Consumer Product Safety Commission.
- An interim accessible route to the new playscape will be via the existing paved path to the existing playscape and level grass area.
- Once the new playscape is complete, the existing playscape will be secured with caution tape until such time that the Public Works Department can remove the structure and swings. As part of the existing playscape removal, the location will be prepared for a new gravel parking area to be installed. This area is shown on the attached aerial map.
- Sunny Acres Park has limited parking and the addition of approximately 12 spots, including two
 handicapped spots will increase accessibility for residents. The handicapped spots will be paved
 and stripped according to current codes and similar to spots that exist at Southeast Park.

- The existing paved path to the playscape area will be extended to the new playscape on the outside of the wooden guardrail.
- Access to the new parking area will be via the existing maintenance access drive at the west end of the park.
- Wooden guardrail will be installed by a fence contractor as part of the parking lot installation.

I welcome the opportunity to meet on site with you to review the details of this project.

Cc: Matt Hart, Town Manager


Lon Hultgren, Director of Public Works

Mark Kiefer, Superintendent of Public Works

Jay O'Keefe, Assistant Director of Parks & Recreation

Linda Painter, Director of Planning and Development

Cherie Trahan, Director of Finance



MainStreetCiS, L.C. - www.mainstreetgis.com / info@mainstreetgis.com Disclaimer: This map is for assessment purposes only. It is not valid for use as a survey or for conveyance

PAGE BREAK
















M.E. O'BRIEN & SONS, INC. P.O. Box 650 93 West Street Medield, MA 02052-0650





Wetlands Draft Approval Motion for:

,	Re: W1492	- Michael & Mary	y Healey	
moves	and	seconds,	to approve the	application
for a modification to	the March 8,	2011 wetlands	approval (file V	W1492),
submitted by Michael a	nd Mary Heale	ey for barn rend	ovation and imp	rovements
to be located on prope	rty owned by	Michael and Ma	ry Healey, locat	ted at 476
Storrs Road, as depict	ed on a plan	dated January	17, 2012 and bea	aring latest
revision date 9.25.201	.2.			

This action is based on a finding of no significant impact, and is conditioned on the following provisions being met:

- 1. All erosion and sediment controls as described in the application shall be in place prior to construction, maintained during construction and removed when disturbed areas are completely stabilized.
- 2. All conditions of the original approval are to remain in effect.

This modification is an amendment to the original approval and is made a part thereof and is to be valid for a period of five years (until October 1, 2017), unless additional time is requested by the applicant and granted by the Inland Wetlands Agency. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment.

PAGE BREAK

Memorandum:

September 26, 2012

To: Inland Wetland Agency

From: Grant Meitzler, Inland wetland Agent

Re: W1492 - Healey - 476 Storrs Rd - barn renovation

plan reference: dated 1.17.2012, revised 9.25.2012

This application is for modification of the earlier wetlands approval since there have been minor changes to the plans since that permit was issued.

The plan reference revision date above represents the present plan. The changes are minor and involve minor changes to the dimensions of the ell on the barn that is closest to the main house.

A future addition is shown on the north side of the front house on the site. This is outside the 150' upland review area.

All of the earlier conditions should remain in effect. A copy of the earlier Wetland Agency approval letter is attached - dated March 8, 2011.

TOWN OF MANSFIELD INLAND WETLAND AGENCY

AUDREY P. BECK BUILDING FOUR SOUTH EAGLEVILL ROAD STORRS, CT 06268 (860) 429-3330

Tuesday, March 08, 2011

Mr. Michael Healey, L.S. P. O. Box 557 Mansfield Center, CT 06250

Re:

Mansfield's IWA Approval

IWA file #1492

Dear Mike,

At a meeting held on 4/2/12, the Mansfield Inland Wetlands Agency adopted the following motion:

"to approve an Inland Wetlands License pursuant to the Wetlands and Watercourses Regulations of the Town of Mansfield to Michael and Mary Healey (file # W1492), for barn renovations, additions and appurtenant site improvements to an existing barn, located at 476 Storrs Road, as shown on a site plan dated January 17, 2012 and revised to March 5, 2012, for portions of work located within the 150 foot regulated areas, and as described in application submissions and presentations made to the Inlands Wetlands Agency at meetings held on February 2, 2012, March 5, 2012 and April 2, 2012.

This action is based on a finding of no anticipated significant impact on the wetlands, and is conditioned upon the following provisions being met:

- 1. Erosion and sedimentation controls shall be in place (as shown on the plans) prior to construction, maintained during construction, and removed when disturbed areas are completely stabilized.
- 2. The use of chemicals and fertilizers is to be based on soil testing to avoid over use that will change the chemistry of the bog.
- 3. The cattail removal operation is to be coordinated with the Inland Wetlands Agent.

This approval is valid until April 2, 2017, at which time a renewal of the permit is required if work has not been completed. The applicant shall notify the Wetlands Agent before any work begins, and all work shall be completed within one year. Any extension of the activity period shall come before this Agency for further review and comment."

If you have any questions regarding this action, please call the Planning Office at 429-3330.

This letter constitutes your license.

Very truly yours,

Katherine K. Holt, Secretary Mansfield Inland Wetlands Agency

Koll & All Tom

MODIFICATION OF EXISTING PERMIT

APPLICATION FOR PERMIT MANSFIELD INLAND WETLANDS AGENCY 4 SOUTH EAGLEVILLE ROAD, STORRS, CT 06268 TEL: 860-429-3334 OR 860-429-3330

FAX: 860-429-6863

FOR O	FFICE USE ONLY	_
File #	1490	_
Fee Paid		
Date Received	9-27-12	_

Applicants are referred to the Mansfield Inland Wetlands and Watercourses Regulations for complete requirements, and are obligated to follow them. For assistance, please contact Grant Meitzler, Inland Wetlands Agent at the telephone numbers above.

Please print or type or use similar format for computer; attach additional pages as necessary.

Part A - Applicant Name EAST BEO	uk. F, LLC
Mailing Address <u>366 </u>	LOCAIFIELD AVENUE
WINDSOK, C	CT Zip Ole 1995
Telephone-Home	Telephone-Business <u>S60-653-905の</u>
Title and Brief Description of DELETION OF PROPOS	Project ED RETAINING WALL AND PROVIDING
	· · · · · · · · · · · · · · · · · · ·
	STORIES RUAD, MANSFIELD CT
	1/2012
Part B - Property Owner (if applicant NameSAME	is the owner, just write "same")
Mailing Address	
	Zip
Telephone-Home	Telephone-Business
Owner's written consent to the	filing of this application, if owner is not the applicant:
Signature	date
Applicant's interest in the land: (if other	r than owner)


Part C - Project Description (attach extra pages, if necessary)
1) Describe in detail the proposed activity here or on an attached page. (See guidelines at
end of application – page 6.)
Please include a description of all activity or construction or disturbance:
a) <u>in</u> the wetland/watercourse
h) in the area edizonat to full him area courts
b) <u>in</u> the area <i>adjacent</i> to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is off your property.
If wetland/watercourse is off your property
THE APPRIVED PLAN INCLUDES A LANDSCHPED EETAINING
AN EARTHEN SLUCE TILE THE WALL AND INSTALL
AN FARTHEN SLUFE, THE SLUPE WILL BE PLANTED AND
IS BEING DRAFTED.
2) Describe the amount or aros of district and the
 Describe the amount or area of disturbance (in square feet or cubic yards or acres): in the wetland/watercourse
b) <u>in</u> the area adjacent to (within 150 feet from the edge of) the wetland/watercourse, even if wetland/watercourse is off your property.
if wetland/watercourse is off your property
THERE IS NO DIRECT MAPPY TASSONIVES
AN ADDITIONAL 4,600 SF OF UPLHIND WILL BE DISTURBED
THE RULL HOLD ST OF UTUNN WILL BE DISTURBED.
3) Describe the type of materials you are using for the project:
JUST AN EAR THEN SI ME AND I MAIN I
JUST AN EARTHEN SLOPE AND LANDSCAPING WITH IRRIGATION.
a) include time of water to the
a) include <i>type</i> of material used as fill or to be excavated <u>CLEAN GRANULAR FILL</u> b) include <i>volume</i> of material to be filled as avantable.
NO NET CHANGE IN OUT OR FILL MATERIAL.
4) Describe measures to be taken to minimize or avoid any adverse impacts on the
wetlands and regulated areas (silt fence, staked hay bales or other Erosion and
Ocamicatation (anima mescure)
ALL AREAS DISTINGEN ART GUALLANDERS
DRAW AWAY ERRY THE EXPANDICAL WILAND SOILS THAT
ALL AREAS DISTURBED ARE GRANULAR UPLAND SOILS THAT DRAW AWAY FROM THE WETLANDS. STANDARD S.E.C. BAPS
the De asen.
Part D. Cita Danastuti
Part D - Site Description
Describe the general character of the land. (Hilly? Flat? Wooded? Well drained? etc.)
DEVELOPED MALL AND FIELD.


-	WALLS OR SLOFES
Part	F - Map/Site Plan (all applications)) Attach to the application a map or site plan showing existing conditions and the proposed project in relation to wetland/ watercourses. Scale of map or site plan sho be 1" = 40'; if this is not possible, please indicate the scale that you are using. A sketch map may be sufficient for small, minor projects. (See guidelines at end of applicationage 6.)
2)	Applicant's map date and date of last revision 8/30/30/2
3) 4)	Zone Classification
Part	G - Major Applications Requiring Full Review and a Public Hearing
ర∈ : Part	G - Major Applications Requiring Full Review and a Public Hearing ee Section 6 of the Mansfield Regulations for additional requirements. H - Notice to Abutting Property Owners List the names and addresses of abutting property owners Name Address
ی : Part	H - Notice to Abutting Property Owners List the names and addresses of abutting property owners
ی : Part	H - Notice to Abutting Property Owners List the names and addresses of abutting property owners Name Address

Part I - Additional Notices, if necessary


- 1) Notice to Windham Water Works is attached. If this application is in the public watershed for the Windham Water Works (WWW), you must notify the WWW of your project within 7 days of sending the application to Mansfield--sending it by certified mail, return receipt requested. Contact the Mansfield Inland Wetlands Agent to find out if you are in this watershed.
- Notice to Adjoining Town. If your property is within 500 feet of an adjoining town, you
 must also send a copy of the application, on the same day you sent one to Mansfield, to
 the Inland Wetlands Agency of the adjoining town, by certified mail, return receipt
 requested.


	requested.
3)	The Statewide Reporting Form (attached) shall be part of the application and specified parts must be completed and returned with this application.
Part . 1)	- Other Impacts To Adjoining Towns, if applicable Will a significant portion of the traffic to the completed project on the site use streets within the adjoining municipality to enter or exit the site?Yes/NoDon't Know
2)	Will sewer or water drainage from the project site flow through and impact the sewage or drainage system within the adjoining municipality? Yes/_No Don't Know
3)	Will water run-off from the improved site impact streets or other municipal or private property within the adjoining municipality? YesNoDon't Know
Part K	Set forth (or attach) any other information which would assist the Agency in evaluating your application. (Please provide extra copies of any lengthy documents or reports, and extra copies of maps larger than 8.5" x 11", which are not easily copied.)
	- Filing Fee Submit the appropriate filing fee. (Consult Wetlands Agent for the fee schedule available in the Mansfield Inland Wetlands and Watercourses Regulations.)\$1,000\$750\$500\$250\$125\$100\$50\$25.
	\$60 State DEP Fee
regulat may in	The Agency may require you to provide additional information about the regulated area is the subject of the application, or about wetlands or watercourses affected by the ed activity. If the Agency, upon review of your application, finds the activity proposed volve a "significant activity" as defined in the Regulations, additional information and/or a hearing may be required.
ır İr	he undersigned applicant hereby consents to necessary and proper aspections of the above mentioned property by members and agents of the aland Wetlands Agency, at reasonable times, both before and after the ermit in question has been granted by the Agency.
· · ·	Applicant's Signature $\frac{9/27/17}{\text{Date}}$





	·		
			110 mmmana
			Averboars and a second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second





Grant Meitzler

From: Lon R. Hultgren

Sent: Thursday, September 20, 2012 2:59 PM

To: Grant Meitzler

Subject: FW: Legal notice for repairs to dam at Eagleville Lake 9/19/12

FYI.

From: Willimantic River Alliance [mailto:info@willimanticriver.org]

Sent: Thursday, September 20, 2012 1:46 PM

To: Alexandria Roe; Alison Hilding; Bruce Rich; Carl Schaefer (UCONN Email); Chronicle News; Chronicle Editor; Jim Hayes; Curt A. Vincente; Dagmar Noll; Dave Murphy; David Vidich; EHHD General Info; Eric Thomas; Eric Thomas; Eric Trott; Cynthia Mac Donald; Ingrid Aarested; Jana Butts; Jason Colte; Jean Pillo; Jennifer S. Kaufman; John Elsesser; Kenneth Rawn; Ken Metzler; Larry Diamond; Laurie Giannotti; Larry Diamond; Linda M. Painter; Lois Bruinooge; Lon R. Hultgren; Lori Mathieu; Mark Paquette; Town Mngr; Mike Powers; Pat Bresnahan; Paul Pribula; Richard Miller; Rivers Alliance of CT; Ruth Cutler; Shannon Rose; Steve Baker; Vicky Wetherell; Wayne Norman

Subject: Legal notice for repairs to dam at Eagleville Lake 9/19/12

Public Notices

Home

INVITATION TO BID

STATE OF CONNECTICUT

DEPARTMENT OF ENERGY & ENVIRONMENTAL PROTECTION

BUREAU OF WATER PROTECTION AND LAND REUSE

INLAND WATER RESOURCES DIVISION

79 ELM STREET, 3RD FLOOR WEST

HARTFORD, CONNECTICUT 06106-5127

TELEPHONE (860) 424-3706

PROJECT NAME: IMPROVEMENTS AND REPAIRS TO EAGLEVILLE LAKE DAM BID OPENING DATE: Thursday, October 18, 2012, 11:00 am

DEPOSIT REQUIRED: \$150 (non refundable) payable to "Treasurer, State of Connecticut"

- 1. You are invited to bid on a general contract for construction described as follows:
- a. Improvements and repairs to Eagleville Lake Dam, including placement and grouting of riprap at the base of the spillway; placement of fill into voids behind the stone masonry walls on both the right and left sides of the downstream channel; repair of chipped and cracked concrete along both the right and left side training walls; and repair of the interior walls and removal of sediment from the existing intake chamber.
- 2. The Department of Energy & Environmental Protection will receive sealed proposals from bidders until 11:00 am on the bid opening date shown above in the offices of the Inland Water Resources Division, 3rd Floor, 79 Elm Street, Hartford, Connecticut. Proposals received after that time will not be accepted. All interested parties are invited to attend. Proposals will be opened publicly and read aloud.
- 3. The Contract Bid Documents may be examined and obtained at the office of the Department of Energy & Environmental Protection, Inland Water Resources Division between the hours of 8:30 a.m. and 4:00 p.m. (excluding noon to 1 p.m.) at the above noted address. Packages may be picked up at the above office in Hartford or may be mailed after receipt of the non-refundable deposit. No packages will be available at the site showing.
- 4. A mandatory pre-bid meeting will be held on Tuesday, October 2, 2012 at 10:00 am.

9/20/2012

Representatives of the Inland Water Resources Division will meet prospective bidders at Eagleville Lake Dam for the purpose of conducting a site inspection.

- 5. As security, each bid must be accompanied by a Bid Bond, in the form required by the Department and having surety thereto such Surety Company or Companies as are authorized to do business in the State of Connecticut, in the amount of 10% of the Total Bid Price. The Departmentreserves the right to reject any or all bids and to waive technical defects or irregularities.
- 6. Bidders must be able to demonstrate recent successful experience with the type of work described in this bid package. Bidders must also list the specific personnel possessing that experience and their intent to employ these same personnel for this project. This information is required in the Statement of Bidders Qualifications section, pages BQ-1 through BQ-3. The Department reserves the right to reject any bidders who lack recent experience with the type of work required for this project.

EXECUTIVE ORDERS NO. THREE, SEVENTEEN, SIXTEEN AND 7C:

Bidders are advised that the Contract for this project shall be subject to Executive Order No. Three regarding nondiscrimination, promulgated June 16, 1971, and to the Guidelines and Rules of the State Labor Commissioner implementing said Executive Order.

Bidders are advised that the Contract for this project shall be subject to Executive Order No. Seventeen, promulgated February 15, 1973, requiring contractors and subcontractors to list employment openings with the Connecticut State Employment Service.

Bidders are advised that the Contract for this project shall be subject to Executive Order No. Sixteen, promulgated August 4, 1999, regarding violence in the workplace.

Bidders are advised that the Contract for this project shall be subject to Executive Order No. 7C promulgated July 13, 2006 regarding contracting reforms.

Said documents are hereby incorporated herein and made a part hereof as though fully set forth herein. Bidders may receive copies of these upon request.

Prospective bidders may contact Ted Rybak of the DEEP / Inland Water Resources Division at (860) 424-3706 for additional information or clarification regarding the Bid and Contract Documents.

Daniel C. Esty

Commissioner

Department of Environmental Protection

Appeared in: Hartford Courant on Wednesday, 09/19/2012